

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 10





FIG. 9

MJM-467

2/5

FIG. 11



E.G., PVC/PC

FIG. 12




FIG. 13





FIG. 14



B — FIG. 15

FIG. 16

SECTION A-A

TEXT TO BE .200 HIGH X .020 RAISED
LOCATED APPROXIMATELY WHERE
SHOWN






FIG. 17




ROUGH EDM FINISH
THIS SURFACE AND SLOTS

FIG. 18







MJM-467


3/5





E.G., PVC/PC



TEXT TO BE .200 HIGH X .020 RAISED
LOCATED APPROXIMATELY WHERE
SHOWN



ROUGH EDM FINISH
THIS SURFACE AND SLOTS



MJM-467

4/5

E.6., PVC/PC

FIG. 27




FIG. 29





FIG. 32



ROUGH EDM FINISH
THIS SURFACE AND SLOTS

Ø .1875 VENT HOLE/FASTENER HOLE

Ø .1250 FASTENER HOLE


R2.3497
45° S/O

.3000

R.0300

R.0300

FIG. 28



SECTION A-A

FIG. 30

DETAIL B
SCALE 1.5 : 1

1° P/S






FIG. 31



TEXT TO BE .200 HIGH X .020 RAISED
LOCATED APPROXIMATELY WHERE
SHOWN

FIG. 33



MJM-467

5/5